

Skills 101: erwin

Keeping Standards Consistent Across Teams and Platforms

Andy McGovern
Sr. Principal Consultant
andy.mcgovern@quest.com



The Quest logo, featuring a stylized blue arrow pointing right followed by the word "Quest" in a bold, dark blue sans-serif font.





Today's Roadmap

As modeling environments grow across teams, platforms, and projects, maintaining consistency becomes increasingly difficult. Without shared standards and governance, naming inconsistencies, duplicated logic, and model drift can quickly create long-term management challenges.

In this session, we'll explore practical governance strategies within erwin Data Modeler to help standardize modeling practices and maintain consistency across evolving environments. We'll walk through approaches for managing naming standards, reusable templates, subject areas, and model validation to reduce downstream inconsistencies before they spread across teams and platforms.



We'll cover:

1. The Workgroup Mart Structure
2. Building and enforcing standards
3. Using domains, reusable templates, and shared definitions
4. Mapping business terms and Sensitive Data
5. Validating models before issues reach production
6. Supporting collaboration while
7. Maintaining governance standards

erwin DM Design Layer Architecture

Active Model Templates


Conceptual Data Model
(CDM)

Logical Data Model (LDM)



Logical_Physical Data Model (LPDM)

erwin Data Governance Architecture



Model Governance (DM Client)

erwin Data Modeler Workgroup Edition provides a multiuser modeling environment that makes coordinated, large-scale modeling possible.

Collaboration across teams

Enables project managers, data modeling team members, and standards administrators to work together through workgroup modeling services.

Workgroup modeling services include:

- Conflict resolution
- Versioning
- Security
- Standards Management

Model teams can:

- Document existing systems
- Create new eBusiness systems
- Drive data standardization

Model sharing encourages teamwork and enables modelers to work together efficiently to optimize model-based development.

Mart Catalog

Catalog Structure

The catalog includes libraries, models, and versions of models.

Library Organization

Libraries help you organize projects by grouping models together.

Shared Model Criteria

For example, you can create a library to store models that share:

- A workgroup
- A security level
- A target server

Catalog Flexibility

Any number of libraries or models can be created and stored in a catalog.

Model Management

By organizing your data models in libraries, you can also easily manage model merging and conflict resolution.

Profiles

What profiles control

You can assign a user to a profile to control the actions that the user can perform on an object.

Profile Assignment

You can assign a user to multiple profiles and give the user a greater control over objects.

Assign at least one profile to each user.

Default Profiles

However, you do not need to assign all users to a profile immediately after creating the Mart.

When you install Mart, Admin, Architect, Modeler, and Viewer profiles are created.

Permissions

Permission Levels

You assign different levels of permissions to users or groups.

Access Control

Control the level of permission and assign a user or a group to a profile, library, or model so that they have specific access.

Multiple assignments

A user can be assigned to multiple profiles, libraries, or models.

Example

For example, a user can have full permissions on one library and only view permissions on another.

Model Templates

What templates Store

A template can store model objects, display settings, and preferences.

Quick reuse and consistency

You can save any model as a template to save its settings and contents for quick reuse.

In this way, templates provide the ideal way of maintaining consistency across different models.

After you save a template, you can:

- Use it as the basis for creating new models
- Load the model objects from another model template into your current model
- Synchronize changes made in a template with all models that use it

Central NSM

Central repository

NSM File Management is a central repository for NSM files in the CSV format.

Centralized storage and use

It gives you the capability to store NSM files centrally and utilize them across erwin applications or between users in your organization.

How files can be used

You can sync these files to a model in erwin Data Modeler or utilize as business assets (business term) in erwin Data Intelligence.

More information

For more information, refer to erwin Data Modeler and erwin Data Intelligence documentation.

Enterprise Glossary

Enterprise level standards

Enterprise glossary provides you with a mechanism to implement business terms, vocabularies, ontologies, and standards.

Thus, you can build and govern an enterprise-level standard for your mart catalog assets.

Business terms and definitions

Using Enterprise Glossary, you can create and associate your business terms and definitions used in different areas of your business departments or domains.

Glossary Structure

Enterprise glossaries work as containers for business terms.

Therefore, before creating business terms, you need to create a glossary for them.

You can also create sub-glossaries to group business terms further.

Enterprise Model Compliance

What EMC provides

Enterprise Modeling Compliance (EMC) provides you (non-admin user) with a mechanism to apply metadata standards across your mart catalogs and maintain data model quality at the enterprise level.

What you need to use EMC

To use EMC, you need to be well-versed with business requirements so that you can create and use a combination of policies and rules on your data models.

Compliance outcome

This enables you to implement high compliance standards in your modeling practice.

ER360

Unified visuals for data models

erwin ER360 provides unified and central visuals of your erwin data models to help you manage, review, and govern your on-premises or SaaS 'On Cloud Mart' data models.

Self-service access and collaboration

It provides self-service access to visualization and detailed metadata classification to encourage business teams, governance teams, and other stakeholders to collaborate and increase data literacy.

DM and DI

Product integration

DM Connect for DI, integrates two powerful products, erwin Data Modeler (erwin DM) and erwin Data Intelligence (erwin DI).

Single metadata and glossary source

This offering enables you to maintain a single metadata and glossary source across erwin DM and erwin DI using erwin Mart Portal as an interface.

Benefits

Apart from this, DM Connect for DI offers the following benefits:

- Use data models as a foundation for data governance initiatives
- Automatically update data catalog
- Maintain a business glossary based on logical names and naming standards

DM and DI Workflow

Erwin DM

erwin DM supports several target databases.

It provides a powerful and robust workspace to create rich data models based on these target databases.

Further, it provides connectivity to erwin Mart Portal; where you can store your rich data models in a mart repository.

Erwin Mart Portal

erwin Mart Portal acts an interface between erwin DM and erwin DI.

It enables you to schedule jobs to export data models and data sources from your mart repository to erwin DI Data Catalog and vice versa.


Further, it integrates the naming standards set up on your models into the Business Glossary Manager.

Erwin DI


erwin DI enables you to use your data models as a foundation for your data governance initiatives.

It enables you to maintain a semantic lineage between metadata and business objects.

DM and DI Workflow



erwin Data Governance Architecture





Let's go model...

Mart Catalog



→ Quest

- Dashboard
- Users
- Profiles
- Permissions
- Catalogs
- Central NSM
- EMC
- EG
- Devices
- Settings

Catalogs

Save

Loaded Catalogs

- Mart
 - _SDLC
 - Advanced Models
 - Demonstration Models
 - Model Templates
 - Oracle AI World 2025
 - PAHHS
 - Projects
 - RE Configurations
 - Skills 101
 - DLA -3- Synapse Lakehouse LPDM

Details Locks

Name
Mart

Description
Mart - root entry

Created By
erwinadmin

Created On
09/10/2024 9:17 AM

Catalogs

Save

Loaded Catalogs

Create Library

Mart

- _SDLC
- Advanced Models
 - Data Vault Automation
 - Design Layer Architecture
 - DLA 1-Conceptual
 - DLA 2-Logical
 - DLA 3-Azure Synapse
 - DLA 3-MongoDB LPDM
 - DLA 3-MS SQL LPDM
 - DLA 3-Postrges LPDM


Details Locks

Name
Mart

Description
Mart - root entry

Created By
erwinadmin

Created On
09/10/2024 9:17 AM



- Dashboard
- Users
- Profiles
- Permissions
- Catalogs
- Central NSM
- EMC
- EG
- Devices
- Settings

Catalogs

Save

Loaded Catalogs

- Advanced Models
 - Data Vault Automation
 - Design Layer Architecture
 - DLA 1-Conceptual
 - DLA 2-Logical
 - DLA 3-Azure Synapse
 - DLA 3-MongoDB LPDM
 - DLA 3-MS SQL LPDM
 - DLA 3-Postrges LPDM

Delete Catalog

Details Locks

Name
Advanced Models

Description
Description (maximum of 4000 characters)

Created By
erwinadmin

Created On
09/10/2024 10:04 AM

Catalogs

Loaded Catalogs

- Mart
 - _SDLC
 - Advanced Models**
 - Data Vault Automation
 - Design Layer Architecture
 - Dimensional
 - FHIR JSON
 - Medallion Architecture
 - Publication Mart
 - Demonstration Models
 - Model Templates


Details

Name
Mart

Description
Mart - root entry

Created By
erwinadmin

Created On
09/10/2024 9:17 AM



- Dashboard
- Users
- Profiles
- Permissions
- Catalogs
- Central NSM
- EMC
- EG
- Devices
- Settings

Catalogs

Save

Loaded Catalogs

- Mart
 - _SDLC
 - Advanced Models
 - Data Vault Automation
 - Design Layer Architecture
 - DLA 1-Conceptual
 - DLA 2-Logical
 - DLA 3-Azure Synapse
 - DLA 3-MongoDB LPDM
 - DLA 3-MS SQL LPDM
 - DLA 3-Postrges LPDM

Details Locks

Name
Mart

Description
Mart - root entry


Created By
erwinadmin

Created On
09/10/2024 9:17 AM

Users



→ Quest

 **Good Afternoon, erwinadmin!**

Company Data



Data is everywhere. So every day, industry and government are challenged to ride this massive data tidal wave. Organizations have to manage both the massive risks and opportunities that come with high-volume assets that power their processes, technologies and, ultimately their people.

Mission

To protect and improve our data assets and enable data transparency

Vision

A culture that values data enterprise-wide and ensures the security and integrity of all data assets, data uses and data related processes while

Data Governance Goals & Objectives

- To define, approve and communicate data strategies, policies, standards, architecture, procedures and metrics
- To track and enforce regulatory compliance and conformance to data policies, standards, architecture and procedures
- To sponsor, track and oversee the delivery of data management projects and services
- To manage and resolve data related issues
- To understand and promote the value of data assets



Good Afternoon, erwinadmin!

Company Data



Data is everywhere. So every day, industry and government are challenged to ride this massive data tidal wave. Organizations have to manage both the massive risks and opportunities that come with high-volume assets that power their processes, technologies and, ultimately their people.

Mission

To protect and improve our data assets and enable data transparency

Vision

A culture that values data enterprise-wide and ensures the security and integrity of all data assets, data uses and data related processes while

Data Governance Goals & Objectives

- To define, approve and communicate data strategies, policies, standards, architecture, procedures and metrics
- To track and enforce regulatory compliance and conformance to data policies, standards, architecture and procedures
- To sponsor, track and oversee the delivery of data management projects and services
- To manage and resolve data related issues
- To understand and promote the value of data assets

- Dashboard
- Users**
- Profiles
- Permissions
- Catalogs
- Central NSM
- EMC
- EG
- Devices
- Settings

Users

+ Add User

Active 4 Deleted 0

User Type: All Search for username, email address, displayname...

	Display Name	Username ↑	Email Address	Type
<input type="checkbox"/>	Andreza	andreza		Server User
<input type="checkbox"/>	erwin_service	erwin_service		Server User
<input type="checkbox"/>	erwinadmin	erwinadmin		Server User
<input type="checkbox"/>	THanks	terry		Server User

Dense

Rows per page: 10 1-4 of 4

- Dashboard
- Users
- Profiles
- Permissions
- Catalogs
- Central NSM
- EMC
- EG
- Devices
- Settings

Users

Active 4 Deleted 0

User Type: All

Search for username, email address, displayname...

	Display Name	Username ↑	Email Address	Type
<input type="checkbox"/>	Andreza	andreza		Server User
<input type="checkbox"/>	erwin_service	erwin_service		Server User
<input type="checkbox"/>	erwinadmin	erwinadmin		Server User
<input type="checkbox"/>	THanks	terry		Server User

Dense Rows per page: 10 1-4 of 4

+ Add User

- Server User
- DM Windows User

Dashboard
Users
Profiles
Permissions
Catalogs
Central NSM
EMC
EG
Devices
Settings

Users Active 4 Deleted 0 Add User

User Type: All

Name	Username ↑	Email Address	Type
	andreza		Server User
	erwin_service		Server User
	erwinadmin		Server User
	terry		Server User

Dense Rows per page: 10 1-4 of 4

Users + Add User

Active 4 Deleted 0

User Type: All Search for username, email address, displayname...


Name	Username ↑	Email Address	Type
	andreza		Server User
ce	erwin_service		Server User
	erwinadmin		Server User
	terry		Server User

Dense Rows per page: 10 1-4 of 4

Profiles



→ Quest



- Dashboard
- Users
- Profiles
- Permissions
- Catalogs
- Central NSM
- EMC
- EG
- Devices
- Settings

Profiles

- Architect
- Viewer
- Admin
- Modeler




Select a Profile

- Dashboard
- Users
- Profiles
- Permissions
- Catalogs
- Central NSM
- EMC
- EG
- Devices
- Settings

Profiles

- Architect
- Viewer
- Admin
- Modeler

General



Drag and Drop or Select a file
Allowed *.jpeg, *.jpg, *.jif, *.png. Max size of 1MB
A default image is set automatically when there is no image.

Name
Admin

Description
This profile is for Administrators


Permissions Report

Permissions	
Catalog Management	▼
DI Connect Management	▼
Library	▼
Mart	▼
Model	▼
NSM File Management	▼
Permission Management	▼
Reports	▼

Profiles

- Architect
- Viewer
- Admin
- Modeler

General Permissions Report



Drag and Drop or Select a file
Allowed *.jpeg, *.jpg, *.jif, *.png. Max size of 1MB
A default image is set automatically when there is no image.

Name
Architect

Description
This profile is for Architects


- #### Permissions
- Catalog Management
 - DI Connect Management
 - Library
 - Mart
 - Model
 - NSM File Management
 - Permission Management
 - Reports

- Dashboard
- Users
- Profiles
- Permissions
- Catalogs
- Central NSM
- EMC
- EG
- Devices
- Settings

Profiles

- Architect
- Viewer
- Admin
- Modeler

General Permissions Report



Drag and Drop or Select a file
Allowed *.jpeg, *.jpg, *.jfif, *.png. Max size of 1MB
A default image is set automatically when there is no image.

Name
Admin

Description
This profile is for Administrators

Permissions

- Session Management
 - View Sessions
 - End Session
- User Management
 - Delete User
 - View Users
 - Modify User
 - Create User
- DM Connect for Git
 - Enable

- Dashboard
- Users
- Profiles
- Permissions
- Catalogs
- Central NSM
- EMC
- EG
- Devices
- Settings

Profiles

- Architect
- Viewer
- Admin
- Modeler

Permissions Report

General

Drag and Drop or Select a file
Allowed *.jpeg, *.jpg, *.jfif, *.png. Max size of 1MB
A default image is set automatically when there is no image.

Name: Architect

Description: This profile is for Architects

Permissions

Model

- Update Description
- Modify
- Create
- Delete
- Rename
- Permit Version Control
- View

Locking

- Exclusive Lock
- Existence Lock
- Update Lock
- Shared Lock
- Remove locks owned by others


Modeling Object

- Dashboard
- Users
- Profiles
- Permissions
- Catalogs
- Central NSM
- EMC
- EG
- Devices
- Settings

Profiles

- Architect
- Viewer
- Admin
- Modeler

General Permissions Report



Drag and Drop or Select a file
Allowed *.jpeg, *.jpg, *.jif, *.png. Max size of 1MB
A default image is set automatically when there is no image.

Name
Modeler

Description
This profile is for Data Modelers

Permissions

- Catalog Management
Open
- DI Connect Management
- Library
View

User Permissions
















→ Quest

Permissions





 

General  User Permission Report

Loaded Catalogs  

- ▼  Mart
 -  _SDLC
 - >  Advanced Models
 - >  Demonstration Models
 -  Model Templates
 - >  Oracle AI World 2025
 -  PAHHS
 - >  Projects
 -  RE Configurations
 - >  Skills 101
 -  DLA -3- Synapse Lakehouse LPDM

Assign User/Group to Profile

Admin	
Architect	
Modeler	
Viewer	

Loaded Catalogs

- ▼ **Mart**
 - _SDLC
 - Advanced Models
 - Demonstration Models
 - Model Templates
 - Oracle AI World 2025
 - PAHHS
 - Projects
 - RE Configurations
 - Skills 101
 - DLA -3 -Synapse Lakehouse LPDM

Assign User/Group to Profile

Admin	
Andreza × THanks × erwin_service × erwinadmin ×	▼
Architect	▼
Modeler	▼
Viewer	▼

Permissions

- General
- User Permission Report

Loaded Catalogs

- ▼ Mart
 - _SDLC
 - ▼ Advanced Models
 - > Data Vault Automation
 - > Design Layer Architecture
 - Dimensional
 - FHIR JSON
 - > **Medallion Architecture**
 - Publication Mart
 - ▼ Demonstration Models
 - > Databricks

Assign User/Group to Profile

Admin	▼
Architect	▼
Modeler	▼
Viewer	▼

Permissions

 Review Changes  Save Permissions

General User Permission Report

Loaded Catalogs

- Medallion Architecture
 - Bronze
 - Gold
 - Silver
 - Publication Mart
- Demonstration Models
 - Databricks
 - DM to DI
 - Graph DB
 - NoSQL
 - Self Models

Assign User/Group to Profile

Admin	^
Architect	^
Andreza	v
Modeler	^
Viewer	^

Permissions

 Review Changes  Save Permissions

General User Permission Report

Loaded Catalogs

- Medallion Architecture
 - Bronze**
 - Gold
 - Silver
 - Publication Mart
- Demonstration Models
 - Databricks
 - DM to DI
 - Graph DB
 - NoSQL
 - Self Models

Assign User/Group to Profile

Admin	^
Architect	v
Andreza	+
Modeler	^
THanks	+
Viewer	^

- Dashboard
- Users
- Profiles
- Permissions
- Catalogs
- Central NSM
- EMC
- EG
- Devices
- Settings

Permissions

Review Changes Save Permissions

- General
- User Permission Report

Loaded Catalogs

- Medallion Architecture
 - Bronze
 - Gold
 - Silver
 - Publication Mart
- Demonstration Models
 - Databricks
 - DM to DI
 - Graph DB
 - NoSQL
 - Self Models

Assign User/Group to Profile

Admin	^
Architect	^
Andreza	^
Modeler	^
Dave	^
Viewer	^

- Dashboard
- Users
- Profiles
- Permissions
- Catalogs
- Central NSM
- EMC
- EG
- Devices
- Settings

Permissions

Review Changes Save Permissions

- General
- User Permission Report

Loaded Catalogs

- Medallion Architecture
 - Bronze
 - Gold
 - Silver
- Publication Mart
- Demonstration Models
 - Databricks
 - DM to DI
 - Graph DB
 - NoSQL
 - Self Models

Assign User/Group to Profile

Admin	^
Architect	^
Dave	^
Modeler	^
THanks	^
Viewer	^

Connect to Mart

Server Information

Server Name: localhost

Port: 18170

Use SSL (https)

Application Name: MartServer

User Credentials

Authentication: Server Authentication

User Name: Dave


Password: ●●●●●●

[Forgot Password](#)

Recent Connections:

```
Server=vn221westus2-poc-smbc-mart.myerwin.io;Port=443;AppServerName=MartServer;AuthenticationType=1;Username=poc-...
Server=shared-demolab-mart-v15.myerwin.io;Port=443;AppServerName=MartServer;AuthenticationType=2;Username=andy.mc...
Server=tenant3.cus.dev.mart.myerwin.com;Port=443;AppServerName=MartServer;AuthenticationType=1;Username=andymcg;...
Server=localhost;Port=18170;AppServerName=MartServer;AuthenticationType=1;Username=erwinadmin;useSSL=false
```

Connect Cancel Help



Model Explorer

Model Subject Area

Model Explorer Project Explorer


Properties

erwin Data Modeler

i Mart Connected Successfully

OK

Don't show this again



Model Explorer

- Mart
 - Advanced Models
 - Data Vault Automation
 - Design Layer Architecture
 - Dimensional
 - FHIR JSON
 - Medallion Architecture
 - Bronze
 - Gold
 - Silver
 - Publication Mart
 - Demonstration Models
 - Model Templates
 - Oracle AI World 2025
 - PAHHS
 - Projects
 - RE Configurations
 - Skills 101

Model Explorer Project Explorer

Open

Catalog:

Name	Creator	Last Modifier	Modified On
DLA 3 - LPDM Azure Synapse Lakeho...	erwinadmin	erwinadmin	1/7/2026 10:50:00

Model Name: DLA 3 - LPDM Azure Synapse Lakehouse Show Templates only


Lock Type: Unlocked Open Version: (Current Version) Version 1 by erwinadmin on 1/7/2026 10:50:00

Model Description

Open Cancel




The Active Model Template



Model Explorer

Model Subject Area

Model Explorer Project Explorer



Open

Catalog:

- Mart
 - SDLC
 - 1ne folder
 - Advanced Models
 - Demo Lot
 - Demonstration Models
 - Model Templates
 - Active Model Templates
 - New Demo Lot
 - New Library
 - Oracle AI World
 - Projects
 - Quest Model Before You Move
 - Scheduled RE Scans
 - User Libraries
 - zzAhmad_Jamal
 - zzAmit_Parikh
 - zzAndreas_Neuhauser
 - zzBilel_SFAXI
 - zzCecilia_Pereria

Name
AMT_3_Diagrams_LPDM_Databricks
AMT_4_Diagrams_LPDM_Neo4j
AMT_4_Diagrams_LPDM_SQL_2019
AMT_5_Diagrams_LPDM_Azure
AMT_5_Diagrams_LPDM_Azure_Synapse
AMT_5_Diagrams_LPDM_Oracle21c
AMT_5_Diagrams_LPDM_PostgreSQL
AMT_5_Diagrams_LPDM_Snowflake
AMT_5_Diagrams_LPDM_SQL_2022
AMT_5_Diagrams_LPDM_SQL_2022_r15.x
AMT_DEMO
AMT_Domains_Themes
AMT_JSON
AMT_MongoDB
AMT_Name_Domains_99
AMT_StarSchema

Model Name: AMT_5_Diagrams_LPDM_Snowflake Show Templates only

Lock Type: Unlocked Open Version: (Current Version) Version 3 by andy.mcgovern@quest.com on 5/21/2026 13:25:00

Model Description

Open Cancel

Model Explorer

- Snowflake Active Model Template AMT
 - Annotations
 - Data Vault 2.0
 - Datatype Standards
 - Default Values
 - Domains
 - Entities
 - ER Diagrams
 - Model Sources
 - Naming Standards
 - Relationships
 - Subject Areas
 - Themes
 - Validation Rules

Model Explorer Project Explorer

Mart://Mart/Model Templates...

Model Name: MODEL NAME
Last Updated By: KC Pulaski
Last Update Date: 05/19/26

Diagram Name: Entity
Last Updated By: Wanda Ellington
Last Update Date: 04/09/2025

File Home View Diagram Project Explorer Model Mart Actions Tools Help

Zoom Normal Themes Entity Attribute Primary Key Keys Definition Icon Panes Manage Windows Cascade Windows Horizontal Split Vertical Split

StatusBar Shadows Page Grid

Display Level Window

Entity (Ctrl+Alt+E) Switch Diagram to Entity Display Level

Model Explorer Model Templates...

Logical

Model Explorer


- Snowflake Active Model Template AMT
 - Annotations
 - Data Vault 2.0
 - Datatype Standards
 - Default Values
 - Domains
 - Entities
 - ER Diagrams
 - Model Sources
 - Naming Standards
 - Relationships
 - Subject Areas
 - Themes
 - Validation Rules


Model Subject Area

<p>Model Name: MODEL NAME</p> <p>Last Updated By: KC Pulaski</p> <p>Last Update Date: 05/19/26</p>
<p>Diagram Name: Entity</p> <p>Last Updated By: Wanda Ellington</p> <p>Last Update Date: 04/09/2025</p>

Model Explorer Project Explorer

Conceptual EntityDefinition Logical Physical PhysicalIndex





Zoom Normal Themes Entity Attribute Primary Key Keys Definition Icon

StatusBar
 Shadows
 Page Grid

Manage Windows Cascade Windows Horizontal Split Vertical Split

Model Explorer

- Snowflake Active Model Template AMT
 - Annotations
 - Data Vault 2.0
 - Datatype Standards
 - Default Values
 - Domains
 - Entities
 - ER Diagrams
 - Model Sources
 - Naming Standards
 - Relationships
 - Subject Areas
 - Themes
 - Validation Rules

Attribute (Ctrl+Alt+A)
Switch Diagram to Attribute Display Level

Diagram Tools: Search, Zoom, Rotate, etc. Logical

Model Name: MODEL NAME
 Last Updated By: KC Pulaski
 Last Update Date: 05/19/26
 Diagram Name: Logical
 Last Updated By:
 Last Update Date:

File Home View Diagram Project Explorer Model Mart Actions Tools Help

Zoom Normal Themes Table Column Primary Key Keys Comment Icon Order Panes Status Bar Shadows Page Grid Manage Windows Cascade Windows Horizontal Split Vertical Split Window

Model Explorer Column (Ctrl+Alt+A) Switch Diagram to Column Display Level Physical

- Snowflake Active Model Template A...
- Annotations
- Data Movement Rules
- Data Movement Sources
- Data Vault 2.0
- Database Roles
- Databases
- Datatype Standards
- Default Values
- Domains
- ER Diagrams
- File Formats
- Functions
- Masking Policies
- Materialized Views
- Model Sources
- Naming Standards
- Pipes
- Relationships
- Row Access Policies
- Schemas
- Script Templates
- Security Integrations
- Sequences
- Shares
- Stages
- Storage Integrations
- Stored Procedures
- Streams
- Subject Areas
- Tables
- Tags
- Tasks
- Themes
- Users


Model Name: MODEL NAME
Last Updated By: KC Pulaski
Last Update Date: 05/19/26
Diagram Name: Physical
Last Updated By:
Last Update Date:

Zoom Normal Themes Table Column Primary Key Keys Comment Icon Order Panes Manage Windows Cascade Windows Horizontal Split Vertical Split

Model Explorer Keys Switch Diagram to Keys Display Level Physical

- Snowflake Active Model Template A...
- Annotations
- Data Movement Rules
- Data Movement Sources
- Data Vault 2.0
- Database Roles
- Databases
- Datatype Standards
- Default Values
- Domains
- ER Diagrams
- File Formats
- Functions
- Masking Policies
- Materialized Views
- Model Sources
- Naming Standards
- Pipes
- Relationships
- Row Access Policies
- Schemas
- Script Templates
- Security Integrations
- Sequences
- Shares
- Stages
- Storage Integrations
- Stored Procedures
- Streams
- Subject Areas
- Tables
- Tags
- Tasks
- Themes
- Users

Model Name: MODEL NAME
Last Updated By: KC Pulaski
Last Update Date: 05/19/26
Diagram Name: PhysicalIndexes
Last Updated By:
Last Update Date:



Model Explorer

- Snowflake Active Model Template AMT
 - Annotations
 - Data Vault 2.0
 - Datatype Standards
 - Logical to Snowflake
 - Default Values
 - Domains**
 - <default>
 - Blob
 - city
 - Datetime
 - Domain_2039
 - empid
 - fax area code
 - fax number
 - first name
 - id
 - last name
 - Number
 - phone area code
 - phone number
 - Standard Numbers
 - street address
 - String
 - tid
 - zip code
 - Entities
 - ER Diagrams
 - Model Sources
 - Naming Standards
 - Relationships
 - Subject Areas
 - Themes
 - Validation Rules

Mart://Mart/Model Templates...

Model Name:	MODEL NAME
Last Updated By:	KC Pulaski
Last Update Date:	05/19/26
Diagram Name:	Logical
Last Updated By:	
Last Update Date:	

Model Explorer

- Snowflake Active Model Template AMT
 - Annotations
 - Data Vault 2.0
 - Datatype Standards
 - Logical to Snowflake
 - Default Values
 - Domains
 - Entities
 - ER Diagrams
 - Model Sources
 - Naming Standards**
 - Publication System NSM**
 - Relationships
 - Subject Areas
 - Themes
 - Validation Rules

Model Name: MO
Last Updated By: K
Last Update Date: 05
Diagram Name: Lo
Last Updated By:
Last Update Date:

Naming Standard 'Publication System NSM' Editor

Enter filter text

Name	Match Whole Words Only	Match Whole Name Only	Is Active	Physical to
Publication System NSM	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Logical Physical **Glossary** Definition Notes Extended Notes

Word Type: All

Word/Words	Abbreviation	Alt Abbreviation	P	M1	M2	C	Definition
Account	Acct		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Address	Addr		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Advance	Advnc		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Amount	Amt		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Area	Area		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Author	Auth		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Back	Bk		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Bank	Bnk		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Billing	Blng		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Book	Book		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Card	Card		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	


Close Cancel

Details...

Central NSM



→ Quest



File Home View Diagram Project Explorer Model Mart Actions Tools Help

Zoom Normal Themes Entity Attribute Primary Key Display Level StatusBar Shadows Page Grid Manage Windows Cascade Windows Horizontal Split Vertical Split

Model Explorer

- Snowflake Active Model Template AMT
 - Annotations
 - Data Vault 2.0
 - Datatype Standards
 - Logical to Snowflake
 - Default Values
 - Domains
 - Entities
 - ER Diagrams
 - Model Sources
 - Naming Standards**
 - Publication System NSM**
 - Relationships
 - Subject Areas
 - Themes
 - Validation Rules

Central NSM

Naming Standard 'Publication System NSM' Editor

Enter filter text

Name	Match Whole Words Only	Match Whole Name Only	Is Active	Physical to
Publication System NSM	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Logical Physical **Glossary** Definition Notes Extended Notes

Word Type: All

Word/Words	Abbreviation	Alt Abbreviation	P	M1	M2	C	Definition
Account	Acct		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Address	Addr		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Advance	Advnc		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Amount	Amt		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Area	Area		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Author	Auth		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Back	Bk		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Bank	Bnk		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Billing	Blng		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Book	Book		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Card	Card		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Close Cancel

Details...

Model Explorer

- Snowflake Active Model Template AMT
 - Annotations
 - Data Vault 2.0
 - Datatype Standards
 - Logical to Snowflake
 - Default Values
 - Domains
 - Entities
 - ER Diagrams
 - Model Sources
 - Naming Standards
 - Publication System NSM
 - Relationships
 - Subject Areas
 - Themes
 - Classic Theme
 - Default Theme
 - Logo
 - Standard Theme
 - Theme_1376
 - Validation Rules

Mart://Mart/Model Templates...

Model Name: MODEL N
Last Updated By: KC Pula
Last Update Date: 05/19/26
Diagram Name: Logical
Last Updated By:
Last Update Date:

Theme 'StandardTheme' Editor

Enter filter text



Name	Default Font	Diagram Fill	Entity Font	Entity Fill	Attribute F...	FK Attribute F...	FK Attribute C...
Default Theme	Micr...		Mi...		Micr...	Micros...	
Logo	Micr...		Mi...		Micr...	Micros...	
StandardTheme	Arial		Ar...		Arial	Arial	
Theme_1376	Micr...		Mi...		Micr...	Micros...	

Defaults Entity Attribute Key View Materialized View Relationship Subtype Symbol Annotation/Shape Where Used Definition UDP

All object types will inherit these settings

- Font settings
 - Font Options: Arial
- Fill settings
 - Fill Options: [Color Picker]
- Line settings
 - Line Options: [Color Picker]
- Outline settings
 - Outline Options: [Color Picker]
- Diagram Fill
 - Fill Options: [Color Picker]

Close Cancel



Model Explorer

- Snowflake Active Model Template AMT
 - Annotations
 - Data Vault 2.0
 - Datatype Standards
 - Logical to Snowflake
 - Default Values
 - Domains
 - Entities
 - ER Diagrams
 - Model Sources
 - Naming Standards
 - Publication System NSM
 - Relationships
 - Subject Areas
 - Themes
 - Classic Theme
 - Default Theme
 - Logo
 - Standard Theme
 - Theme_1376
 - Validation Rules

Model Explorer Project Explorer

Mart://Mart/Model Templates...

Model Name: MODEL N
 Last Updated By: KC Pula
 Last Update Date: 05/19/26
 Diagram Name: Logical
 Last Updated By:
 Last Update Date:

Theme 'StandardTheme' Editor

Enter filter text

Name	Default Font	Diagram Fill	Entity Font	Entity Fill	Attribute F...	FK Attribute F...	FK Attribute C...
Default Theme	Micr...		Mi...		Micr...	Micros...	
Logo	Micr...		Mi...		Micr...	Micros...	
StandardTheme	Arial		Ar...		Arial	Arial	
Theme_1376	Micr...		Mi...		Micr...	Micros...	

Defaults Entity Attribute Key View Materialized View Relationship Subtype Symbol Annotation/Shape Where Used Definition UDP

Owned Attribute Font
 Font Options: Arial


Foreign Key Style Inheritance
 Font Inheritance Type: None
 Color Inheritance Type: None

Foreign Key Attribute Font
 Font Options: Arial

Foreign Key Attribute Color
 Color: [Dark Red]

Sample Owned Attribute: AaBbYyZz
 Sample Foreign Key: AaBbYyZz

Close Cancel



Default Values Domains Entities Relationships Validation Rule Model Source Editor Subject Area Editor User Defined Properties Model Properties

Logical

Model Explorer

- Snowflake Active Model Template AMT
 - Annotations
 - Data Vault 2.0
 - Datatype Standards
 - Logical to Snowflake
 - Default Values
 - Domains
 - Entities
 - ER Diagrams
 - Model Sources
 - Naming Standards
 - Publication System NSM
 - Relationships
 - Subject Areas
 - Themes
 - Classic Theme
 - Default Theme
 - Logo
 - Standard Theme
 - Theme_1376
 - Validation Rules

Model 'Snowflake Active Model Template AMT' Editor

General Defaults RI Defaults History Options Definition UDP History Notes Extended Notes

Type: Logical / Physical Target Server And Version: Snowflake

Model Information	
Name	Snowflake Active Model Template AMT
Author	erwin Team
Integration Id	
Notation	
Logical Notation	Information Engineering
Physical Notation	Information Engineering
Modeling Features	
Is Dimensional	<input type="checkbox"/>
Data Vault 2.0	<input type="checkbox"/>
Data Movement	<input type="checkbox"/>

Close Cancel



Model Explorer

- Snowflake Active Model Template A...
- Annotations
- Data Movement Rules
- Data Movement Sources
- Data Vault 2.0
- Database Roles
- Databases
- Datatype Standards
- Default Values
- Domains
- ER Diagrams
- File Formats
- Functions
- Masking Policies
- Materialized Views
- Model Sources
- Naming Standards
- Pipes
- Relationships
- Row Access Policies
- Schemas
- Script Templates
- Security Integrations
- Sequences
- Shares
- Stages
- Storage Integrations
- Stored Procedures
- Streams
- Subject Areas
- Tables
- Tags
- Tasks
- Themes
- Views

Model Explorer Subject Area

Mart://Mart/Model Templates...

Model Name: MOD...
Last Updated By: KC...
Last Update Date: 05/1...
Diagram Name: Phys...
Last Updated By:
Last Update Date:

Conceptual / EntityDefinition / Logical / P

User Defined Properties : Physical

Class: Column

Enter filter text

Name	Type	Default
Mangement Configuration	Text	
PHI	List	~No, Yes
HIPAA	List	~No, Yes
GDPR	List	~No, Yes
CCPA	List	~No, Yes
PCI	List	~No, Yes
Critical Data Element	List	~No, Yes

Details

Default

Description

Close Cancel

A futuristic robot with a metallic, segmented body is running towards the right. The robot is surrounded by a dense field of blue data points and lines, creating a sense of motion and digital activity. The background is a dark blue gradient.

Active Model Template

Build a model from scratch...

 Quest

Default Values Domains Entities Relationships Validation Rule Model Source Editor Subject Area Editor User Defined Properties Model Properties

Logical

Model Explorer

- Skills 101 Snowflake AMT
 - Annotations
 - Data Vault 2.0
 - Datatype Standards
 - Logical to Snowflake
 - Default Values
 - Domains
 - Entities
 - ER Diagrams
 - Model Sources
 - Naming Standards
 - Publication System NSM
 - Relationships
 - Subject Areas
 - Themes
 - Classic Theme
 - Default Theme
 - Logo
 - Standard Theme
 - Theme_1376
 - Validation Rules

Mart://Mart/Model Templates...

Model Name: MODEL NAME
Last Updated By: KC Pulaski
Last Update Date: 05/19/26

Diagram Name: Entity
Last Updated By: Wanda Ellington
Last Update Date: 04/09/2025

Default Values Domains Entities Relationships Validation Rule Model Source Editor Subject Area Editor User Defined Properties Model Properties

Model Explorer [Navigation icons] [Diagram type: Logical]

Model Explorer
Skills 101 Snowflake AMT
Annotations
Data Vault 2.0
Datatype Standards
Logical to Snowflake
Default Values
Domains
Entities
ER Diagrams
Model Sources
Naming Standards
Publication System NSM
Relationships
Subject Areas
Themes
Classic Theme
Default Theme
Logo
Standard Theme
Theme_1376
Validation Rules

Mart://Mart/Model Templates...
Model Name: MODEL NAME
Last Updated By: KC Pulaski
Last Update Date: 05/19/26
Diagram Name: Entity
Last Updated By: Wanda Ellington
Last Update Date: 04/09/2025

Default Values Domains Entities Relationships Validation Rule Model Source Editor Subject Area Editor User Defined Properties Model Properties

Arial 10 Bold Italic Underline Strikethrough Text Color Fill Color Line Color Logical


Model Explorer

- Skills 101 Snowflake AMT
 - Annotations
 - Data Vault 2.0
 - Datatype Standards
 - Logical to Snowflake
 - Default Values
 - Domains
 - Entities
 - ER Diagrams
 - Model Sources
 - Naming Standards
 - Publication System NSM
 - Relationships
 - Subject Areas
 - Themes
 - Classic Theme
 - Default Theme
 - Logo
 - Standard Theme
 - Theme_1376
 - Validation Rules

Mart://Mart/Model Templates...

Model Name: MODEL NAME
Last Updated By: KC Pulaski
Last Update Date: 05/19/26

Diagram Name: Entity
Last Updated By: Wanda Ellington
Last Update Date: 04/09/2025



Model Subject Area
Model Explorer Project Explorer

Conceptual EntityDefinition Logical Physical PhysicalIndex

Default Values Domains Entities Relationships Validation Rule Model Source Editor Subject Area Editor User Defined Properties Model Properties

Arial 10 Bold Italic Underline Strikethrough Font Color Background Color Text Color Paragraph Styles Logical


Model Explorer

- Skills
- Annotations
- Data Vault 2.0
- Datatype Standards
- Logical to Snowflake
- Default Values
- Domains
- Entities
- ER Diagrams
- Model Sources
- Naming Standards
- Publication System NSM
- Relationships
- Subject Areas
- Themes
 - Classic Theme
 - Default Theme
 - Logo
 - Standard Theme
 - Theme_1376
- Validation Rules

Identifying
Create identifying relationship

Model Name: MODEL NAME
Last Updated By: KC Pulaski
Last Update Date: 05/19/26

Diagram Name: Entity
Last Updated By: Wanda Ellington
Last Update Date: 04/09/2025



Default Values Domains Entities Relationships Validation Rule Model Source Editor Subject Area Editor User Defined Properties Model Properties

Arial 10 Bold Italic Underline Strikethrough Text Color Fill Color Line Color Logical


Model Explorer

- Skills 101 Snowflake AMT
 - Annotations
 - Data Vault 2.0
 - Datatype Standards
 - Logical to Snowflake
 - Default Values
 - Domains
 - Entities
 - ER Diagrams
 - Model Sources
 - Naming Standards
 - Publication System NSM
 - Relationships
 - Subject Areas
 - Themes
 - Classic Theme
 - Default Theme
 - Logo
 - Standard Theme
 - Theme_1376
 - Validation Rules

Mart://Mart/Model Templates...

Model Name: MODEL NAME
Last Updated By: KC Pulaski
Last Update Date: 05/19/26

Diagram Name: Entity
Last Updated By: Wanda Ellington
Last Update Date: 04/09/2025



Model Subject Area
Model Explorer Project Explorer

Conceptual EntityDefinition Logical Physical PhysicalIndex

File Home View Diagram Project Explorer Model Mart Actions Tools Help


New Diagram Delete Diagram Diagrams... Align Left Align Center Align Right Align Top Align Middle Alignment Align Bottom Space Horizontally Space Vertically Group Ungroup Hierarchical Orthogonal Tree Circular Symmetric Objects Relationship Paths Layout Hiding Hide Hide Neighborhood Unhide All


Arial 10 Logical

Model Explorer

- Skills 101 Snowflake AMT
 - Annotations
 - Data Vault 2.0
 - Datatype Standards
 - Logical to Snowflake
 - Default Values
 - Domains
 - Entities
 - ER Diagrams
 - Model Sources
 - Naming Standards
 - Publication System NSM
 - Relationships
 - Subject Areas
 - Themes
 - Classic Theme
 - Default Theme
 - Logo
 - Standard Theme
 - Theme_1376
 - Validation Rules

Model Explorer Project Explorer





File Home View Diagram Project Explorer Model Mart Actions Tools Help


New Diagram Delete Diagram Diagrams... Align Left Align Center Align Right Align Top Align Middle Alignment Align Bottom Space Horizontally Space Vertically Group Ungroup Hierarchical Orthogonal Tree Circular Symmetric Objects Relationship Paths Layout Hiding Hide Hide Neighborhood Unhide All

Arial 10 Bold Italic Underline Strikethrough Font Color Background Color Bulleted List Numbered List Indentation Decrease Indentation Increase Zoom In Zoom Out Rotate 90 Degrees Rotate 180 Degrees Undo Redo Copy Paste Lock Unlock Refresh Refresh All

Model Explorer

- Skills 101 Snowflake AMT
 - Annotations
 - Data Vault 2.0
 - Datatype Standards
 - Logical to Snowflake
 - Default Values
 - Domains
 - Entities
 - ER Diagrams
 - Model Sources
 - Naming Standards
 - Publication System NSM
 - Relationships
 - Subject Areas
 - Themes
 - Classic Theme
 - Default Theme
 - Logo
 - Standard Theme
 - Theme_1376
 - Validation Rules

Model Subject Area



Entity 'Customer' Editor

Enter filter text

Name	Logical Only
Customer	<input checked="" type="checkbox"/>
Order Item	<input checked="" type="checkbox"/>

Business Terms Mapping | Shortcut | Volumetrics | Definition | Style | Icon | Where Used | UDP | History | Notes | Extend


Someone who purchases a product from Quill

Close Cancel Details...

New Diagram Delete Diagram Diagrams... Align Left Align Center Align Right Align Top Align Middle Alignment Align Bottom Space Horizontally Space Vertically Group Ungroup Hierarchical Orthogonal Tree Circular Symmetric Objects Relationship Paths Layout In Place Hide Hide Neighborhood Unhide All

Arial 10 Bold Italic Underline Strikethrough Font Color Background Color Text Color Bulleted List Numbered List Indentation Decrease Indentation Increase Search Find Replace Undo Redo Copy Paste Lock Unlock Refresh Save Print

Model Explorer Skills 101 Snowflake AMT Annotations Data Vault 2.0 Datatype Standards Logical to Snowflake Default Values Domains Entities ER Diagrams Model Sources Naming Standards Publication System NSM Relationships Subject Areas Themes Classic Theme Default Theme Logo Standard Theme Theme_1376 Validation Rules



Model Name: MODEL NAME
Last Updated By: KC Pulaski
Last Update Date: 05/19/26
Diagram Name: EntityDefinition
Last Updated By: T Hanks
Last Update Date: 09/10/2025





Diagram ribbon tools: New Diagram, Delete Diagram, Diagrams..., Align Left, Align Center, Align Right, Align Top, Align Middle, Align Bottom, Space Horizontally, Space Vertically, Group, Ungroup, Hierarchical, Orthogonal, Tree, Circular, Symmetric, Objects, Relationship Paths, Layout In Place, Hide, Hide Neighborhood, Unhide, Unhide All.

Model Explorer toolbar: Zoom, Refresh, Home, Back, Forward, Print, Copy, Paste, Undo, Redo, Erase, Lasso, Pan, Rotate, Scale, Lock, Unlock, Hide, Unhide, Show/Hide Legend, Show/Hide Grid, Show/Hide Background, Show/Hide Borders, Show/Hide Labels, Show/Hide Relationships, Show/Hide Themes, Show/Hide Validation Rules, Show/Hide Annotations, Show/Hide Data Vault, Show/Hide Datatype Standards, Show/Hide Logical to Snowflake, Show/Hide Default Values, Show/Hide Domains, Show/Hide Entities, Show/Hide ER Diagrams, Show/Hide Model Sources, Show/Hide Naming Standards, Show/Hide Publication System NSM, Show/Hide Relationships, Show/Hide Subject Areas, Show/Hide Themes, Show/Hide Validation Rules.

Model Explorer


Model Explorer tree view: Skills 101 Snowflake AMT, Annotations, Data Vault 2.0, Datatype Standards, Logical to Snowflake, Default Values, Domains, Entities, ER Diagrams, Model Sources, Naming Standards, Publication System NSM, Relationships, Subject Areas, Themes (Classic Theme, Default Theme, Logo, Standard Theme, Theme_1376), Validation Rules.



Model Explorer Project Explorer

Conceptual / EntityDefinition / Logical / Physical / PhysicalIndex /

Bulk Editor



New Diagram Delete Diagram Diagrams... Align Left Align Center Align Right Align Top Align Middle Alignment Align Bottom Space Horizontally Space Vertically Group Ungroup Hierarchical Orthogonal Tree Circular Symmetric Objects Relationship Paths Layout In Place Hide Hide Neighborhood Unhide All

Arial 10 Bold Italic Underline Strikethrough Color Font Color Background Color Enter filter text

Model Explorer Skills 101 Snowflake AMT Annotations Data Vault 2.0 Datatype Standards Logical to Snowflake Default Values Domains Entities ER Diagrams Model Sources Naming Standards Publication System NSM Relationships Subject Areas Themes Classic Theme Default Theme Logo Standard Theme Theme_1376 Validation Rules

Model Name:
Last Updated By:
Last Update Date:
Diagram Name:
Last Updated By:
Last Update Date:

Entity 'Customer' Attribute 'Customer ID' Editor

Entity: Customer

Name	Parent Domain	Logical Data Type	Primary Key	Foreign Key	Logical
Customer ID	<defa...	CHAR(18)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>


General Constraint Shortcut Link Key Groups Style Definition Business Terms Mappin


Domain


- <default>
- Blob
- Datetime
- Domain_2039
- Number
 - Standard Num
 - phone are
 - fax are
 - phone num
 - fax nur
- String
 - city
 - empid


Name: Customer ID
Logical Data Type: CHAR(18)
General Options: Logical Only (unchecked), Null Option: Not Null, Image: Default <unkn


Close Cancel Details...











Transformations Complete Compare Manage Snapshots Design Layers Target Database Database Connection Reverse Engineer Reverse Engineer Configuration Schema... Alter Script... Check Model Forward Engineer

Arial 10 Bold Italic Underline Strikethrough Font Color Background Color Text Color Paragraph Styles

Model Explorer Skills 101 Snowflake AMT Annotations Data Movement Rules Data Movement Sources Data Vault 2.0 Database Roles Databases Datatype Standards Default Values Domains ER Diagrams File Formats Functions Masking Policies Materialized Views Model Sources Naming Standards Pipes Relationships Row Access Policies Schemas Script Templates Security Integrations Sequences Shares Stages Storage Integrations Stored Procedures Streams Subject Areas Tables Tags Tasks Themes Users Views

Mart://Mart/Model Templates...
Model Name: MODEL NAME
Last Updated By: KC Pulaski
Last Update Date: 05/19/26
Diagram Name: Physical
Last Updated By:
Last Update Date:

Cust
Cust_ID CHAR(18)
Frst_Nam VARCHAR(15)
Lst_Nam VARCHAR(25)

- Table Properties...
- Column Properties...**
- Index Properties...
- Stored Procedure Properties...
- Function Properties...
- Script Properties...
- Delete
- Go To Model Explorer
- Display Level >
- Collapse
- Expand
- Hide
- Hide Neighborhood
- Unhide
- Unhide All
- Sync Shortcut
- Go To Shortcut Source
- Remove Shortcut
- Override Fonts and Colors...
- Reset Object to Automatic Sizing
- Copy Theme and Overridden Styles
- Paste Theme and Overridden Styles

physical

Ordr_Itm
Cust_ID CHAR(18) (FK)

Transformations Complete Compare Manage Snapshots Design Layers Target Database Database Connection Database Reverse Engineer Reverse Engineer Configuration Schema... Alter Script... Check Model Forward Engineer Templates... Hierarchic View

Arial 10 [Rich Text Editor Icons]


Model Explorer Skills 101 Snowflake AMT Annotations Data Movement Rules Data Movement Sources Data Vault 2.0 Database Roles Databases Datatype Standards Default Values Domains ER Diagrams File Formats Functions Masking Policies Materialized Views Model Sources Naming Standards Pipes Relationships Row Access Policies Schemas Script Templates Security Integrations Sequences Shares Stages Storage Integrations Stored Procedures Streams Subject Areas Tables Tags Tasks Themes Users Views Model Subject Area

Mart://Mart/Model Templates...
Model Name: MODEL NAME
Last Updated By: KC Pulaski
Last Update Date: 05/19/26
Diagram Name: Physical
Last Updated By:
Last Update Date:
Cust
Cust_ID CHAR(18)
Frst_Nam VARCHAR(15)
Lst_Nam VARCHAR(25)
Conceptual / EntityDefinition / Logical / Physical / PhysicalIndex

Snowflake Table 'Cust' Column 'Cust_ID' Editor
Table: Cust
Enter filter text

Physical Name	Domain Parent	Physical Data Type	Primary Key	Foreign Key	Physical Only	SDI	Comments
Cust_ID	?_defa...	CHAR(18)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Frst_Nam	App FIRST...	VARCHAR(15)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Lst_Nam	App LAST_...	VARCHAR(25)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Link Style Comment Business Terms Mapping Where Used **UDP** History Notes Extended Notes
Property
Management Configuration
PHI No
HIPAA No
GDPR No
CCPA No
PCI No
Critical Data Element No
Close Cancel Details...



File Home View Diagram Project Explorer Model Mart Actions Tools Help

Transformations Complete Compare Manage Snapshots Design Layers * Target Database Database Connection Database Reverse Engineer Reverse Engineer Configuration Schema... Alter Script... Forward Engineer Check Model Templates... Hierarchical View Embedded View

Arial 10 [Rich Text Editor Icons] Physical [View Selector]

Model Explorer

- Skills 101 Snowflake AMT
 - Annotations
 - Data Movement Rules
 - Data Movement Sources
 - Data Vault 2.0
 - Databases
 - Datatype Standards
 - Default Values
 - Domains
 - ER Diagrams
 - File Formats
 - Functions
 - Masking Policies
 - Materialized Views
 - Model Sources
 - Naming Standards
 - Pipes
 - Relationships
 - Row Access Policies
 - Schemas
 - Script Templates
 - Security Integrations
 - Sequences
 - Shares
 - Stages
 - Storage Integrations
 - Stored Procedures
 - Streams
 - Subject Areas
 - Tables
 - Tags
 - Tasks
 - Themes
 - Users
 - Views

Model Subject Area

Mart://Mart/Model Templates... x

Model 'Skills 101 Snowflake AMT' Editor

General Defaults RI Defaults History Options Definition UDP History Notes Extended Notes

Type: Logical / Physical Target Server And Version: Snowflake

Model Information

Name	Skills 101 Snowflake Dev
Author	erwin Team
Integration Id	

Notation

Logical Notation	Information Engineering
Physical Notation	Information Engineering

Modeling Features

Is Dimensional	<input type="checkbox"/>
Data Vault 2.0	<input type="checkbox"/>
Data Movement	<input type="checkbox"/>

Close Cancel

Conceptual EntityDefinition Log




Save As
Save As Mart Model

Model Explorer

- Skills 101 Snowflake Dev
 - Annotations
 - Data Movement Rules
 - Data Movement Sources
 - Data Vault 2.0
 - Database Roles
 - Databases
 - Datatype Standards
 - Default Values
 - Domains
 - ER Diagrams
 - File Formats
 - Functions
 - Masking Policies
 - Materialized Views
 - Model Sources
 - Naming Standards
 - Pipes
 - Relationships
 - Row Access Policies
 - Schemas
 - Script Templates
 - Security Integrations
 - Sequences
 - Shares
 - Stages
 - Storage Integrations
 - Stored Procedures
 - Streams
 - Subject Areas
 - Tables
 - Tags
 - Tasks
 - Themes
 - Users
 - Views


Model Name: MODEL NAME
Last Updated By: KC Pulaski
Last Update Date: 05/19/26

Diagram Name: Physical
Last Updated By:
Last Update Date:



Model Explorer

- Skills 101 Snowflake Dev
 - Annotations
 - Data Movement Rules
 - Data Movement Sources
 - Data Vault 2.0
 - Database Roles
 - Databases
 - Datatype Standards
 - Default Values
 - Domains
 - ER Diagrams
 - File Formats
 - Functions
 - Masking Policies
 - Materialized Views
 - Model Sources
 - Naming Standards
 - Pipes
 - Relationships
 - Row Access Policies
 - Schemas
 - Script Templates
 - Security Integrations
 - Sequences
 - Shares
 - Stages
 - Storage Integrations
 - Stored Procedures
 - Streams
 - Subject Areas
 - Tables
 - Tags
 - Tasks
 - Themes
 - Users
 - Views





Detour to Enterprise Glossary...

A futuristic robot with a metallic, segmented body is running towards the right. The robot is surrounded by a dense field of blue, glowing data points and lines, creating a sense of motion and digital connectivity. The background is a dark blue gradient.

→ Quest

Flag SDI and map Business Terms

- Dashboard
- Users
- Profiles
- Permissions
- Catalogs
- Central NSM
- EMC
- EG
- Devices
- Settings

Enterprise Glossary

Search... Current

- Glossary View
 - Category
 - Critical Data Elements
 - DAJ Demo Glossary
 - DEMO
 - DI to DM Publication System Business Glossary**
 - Enterprise Critical Data Elements
 - Publication System Glossary
 - Quick SFDC SDI Classification
 - SDI Glossary

Details Terms Associations Mappings Reports

Search...

<input type="checkbox"/>	Name	SDI	SDI Classific...	Path	Activity	Actions
<input type="checkbox"/>	A Ad...	<input type="checkbox"/>	Classification	DI to DM Public...	04 May 2026 8:04 AM	
<input type="checkbox"/>	A Au...	<input type="checkbox"/>	Classification	DI to DM Public...	06 Jan 2026 3:55 PM	
<input type="checkbox"/>	AA Au...	<input type="checkbox"/>	Classification	DI to DM Public...	06 Jan 2026 3:55 PM	
<input type="checkbox"/>	AC Au...	<input type="checkbox"/>	Classification	DI to DM Public...	06 Jan 2026 3:55 PM	
<input type="checkbox"/>	AF Au...	<input type="checkbox"/>	Classification	DI to DM Public...	06 Jan 2026 3:55 PM	

Rows per page: 10 1-10 of 132

- Dashboard
- Users
- Profiles
- Permissions
- Catalogs
- Central NSM
- EMC
- EG
- Devices
- Settings

Enterprise Glossary

Search... Current

Reimport Glossary

- Glossary
 - Category
 - Critical Data Elements
 - DAJ Demo Glossary
 - DEMO
 - DI to DM Publication System Business Glossary
 - Enterprise Critical Data Elements
 - Publication System Glossary
 - Quick SFDC SDI Classification
 - SDI Glossary

Details Terms Associations Mappings Reports

Search...

<input type="checkbox"/>	Name	SDI	SDI Classific...	Path	Activity	Actions
<input type="checkbox"/>	A Ad...	<input type="checkbox"/>	Classification	DI to DM Public...	04 May 2026 8:04 AM	
<input type="checkbox"/>	A Au...	<input type="checkbox"/>	Classification	DI to DM Public...	06 Jan 2026 3:55 PM	
<input type="checkbox"/>	AA Au...	<input type="checkbox"/>	Classification	DI to DM Public...	06 Jan 2026 3:55 PM	
<input type="checkbox"/>	AC Au...	<input type="checkbox"/>	Classification	DI to DM Public...	06 Jan 2026 3:55 PM	
<input type="checkbox"/>	AF Au...	<input type="checkbox"/>	Classification	DI to DM Public...	06 Jan 2026 3:55 PM	

Rows per page: 10 1-10 of 132

- Dashboard
- Users
- Profiles
- Permissions
- Catalogs
- Central NSM
- EMC
- EG
- Devices
- Settings

Enterprise Glossary

Search... Current

Reimport Glossary

Reimport DI Glossary

- Category
- Critical Data Elements
- DAJ Demo Glossary
- DEMO
- DI to DM Publication System Business Glossary
- Enterprise Critical Data Elements
- Publication System Glossary
- Quick SFDC SDI Classification
- SDI Glossary

Details Terms Associations Mappings Reports

Search...

<input type="checkbox"/>	Name	SDI	SDI Classific...	Path	Activity	Actions
<input type="checkbox"/>	A Ad...	<input type="checkbox"/>	Classification	DI to DM Public...	04 May 2026 8:04 AM	
<input type="checkbox"/>	A Au...	<input type="checkbox"/>	Classification	DI to DM Public...	06 Jan 2026 3:55 PM	
<input type="checkbox"/>	AA Au...	<input type="checkbox"/>	Classification	DI to DM Public...	06 Jan 2026 3:55 PM	
<input type="checkbox"/>	AC Au...	<input type="checkbox"/>	Classification	DI to DM Public...	06 Jan 2026 3:55 PM	
<input type="checkbox"/>	AF Au...	<input type="checkbox"/>	Classification	DI to DM Public...	06 Jan 2026 3:55 PM	

Rows per page: 10 1-10 of 132

- Dashboard
- Users
- Profiles
- Permissions
- Catalogs
- Central NSM
- EMC
- EG
- Devices
- Settings











Enterprise Glossary

Search... Current

- Glossary View
 - Category
 - Critical Data Elements
 - DAJ Demo Glossary
 - DEMO
 - DI to DM Publication System Business Glossary
 - Enterprise Critical Data Elements
 - Publication System Glossary
 - Quick SFDC SDI Classification
 - SDI Glossary

Details Terms Associations Mappings Reports

customer

<input type="checkbox"/>	Name	SDI	SDI Classific...	Path	Activity	Actions
<input type="checkbox"/>	C Cu...	<input checked="" type="checkbox"/>	Classification PII	DI to DM Public...	29 Apr 2026 11:46 AM	 
<input type="checkbox"/>	CC Cu...	<input type="checkbox"/>	Classification	DI to DM Public...	06 Jan 2026 3:55 PM	 
<input type="checkbox"/>	CC Cu...	<input type="checkbox"/>	Classification	DI to DM Public...	06 Jan 2026 3:55 PM	 
<input type="checkbox"/>	CF Cu...	<input type="checkbox"/>	Classification	DI to DM Public...	06 Jan 2026 3:55 PM	 
<input type="checkbox"/>	CF Cu...	<input type="checkbox"/>	Classification	DI to DM Public...	06 Jan 2026 3:55 PM	 

Rows per page: 10 1-10 of 13

- Dashboard
- Users
- Profiles
- Permissions
- Catalogs
- Central NSM
- EMC
- EG
- Devices
- Settings

Enterprise Glossary

Search... All

- Glossary View
 - Category
 - Critical Data Elements
 - DAJ Demo Glossary
 - DEMO
 - DI to DM Publication System Business Glossary
 - Enterprise Critical Data Elements
 - Publication System Glossary
 - Quick SFDC SDI Classification
 - SDI Glossary

Details Terms **Associations** Mappings Reports

Catalogs

- Model Before Move
- Model Development Lifecycle
- Neo4j
- PowerDesigner LDM Import - Financial Industry Business Data Model (core)
- Publication Mart STM
- Skills101
 - Skills 101 Snowflake Dev
- Snowflake
- erwin DM Demo
- Data Product 2 - Conceptual

- Dashboard
- Users
- Profiles
- Permissions
- Catalogs
- Central NSM
- EMC
- EG
- Devices
- Settings

Enterprise Glossary

Search... All

- Glossary View
 - Category
 - Critical Data Elements
 - DAJ Demo Glossary
 - DEMO
 - DI to DM Publication System Business Glossary
 - Enterprise Critical Data Elements
 - Publication System Glossary
 - Quick SFDC SDI Classification
 - SDI Glossary

Automap Edit Mapping

Details Terms Associations **Mappings** Reports

Select Model Skills 101 Snowflake Dev (Mart/Advanced Models/Skills101/Skills 101 Snowflake Dev) Select Model

Name	Type	Mapped Terms
Customer	Table/Entity	Glossary Terms
Order Item	Table/Entity	Glossary Terms
<default>	Domain	Glossary Terms
<root>	Domain	Glossary Terms

Enterprise Glossary

Dashboard Users Profiles Permissions Catalogs Central NSM EMC EG Devices Settings

Search... All + ↻

Details Terms Associations **4 Mappings** Reports

Select Model
Skills 101 Snowflake Dev (Mart/Advanced Models/Skills101/Skills 101 Snowflake Dev) Select Model

Auto Map

By doing auto map, new mapped terms are assigned or will overwrite the existing mapped terms. This will be done on all the models selected. Are you sure you want to continue?

Cancel Yes

<default> Domain
<root> Domain
Glossary Terms
Glossary Terms

- Dashboard
- Users
- Profiles
- Permissions
- Catalogs
- Central NSM
- EMC
- EG
- Devices
- Settings

Enterprise Glossary

Search... All

- Glossary View
 - Category
 - Critical Data Elements
 - DAJ Demo Glossary
 - DEMO
 - DI to DM Publication System Business Glossary**
 - Enterprise Critical Data Elements
 - Publication System Glossary
 - Quick SFDC SDI Classification
 - SDI Glossary

Details Terms Associations Mappings Reports

Overview Mapped Objects Unmapped Objects

Mappings Overview

Summary of glossary term mappings across associated catalogs.

Publication System DM to DI Mart/Demonstration Models/Publication System DM to DI	207
Publication System ER360 Mart/Demonstration Models/Publication System ER360	209
Baseline Publication System Model Mart/Demonstration Models/Baseline Publication System Model	44
Databricks Unity Catalog Medallion Architecture Mart/Demonstration Models/Databricks/Medallion Architecture/Databricks Unity Catalog Medallion Arch	
Publication System ER360 Mart/Demonstration Models/FR2052A/Publication System ER360	
Skills 101 Snowflake Dev Mart/Advanced Models/Skills101/Skills 101 Snowflake Dev	28

Table/Entity: 2
Column/Attribute: 8
Domain: 18

- Dashboard
- Users
- Profiles
- Permissions
- Catalogs
- Central NSM
- EMC
- EG
- Devices
- Settings

Enterprise Glossary

Search... All

- Glossary View
 - Category
 - Critical Data Elements
 - DAJ Demo Glossary
 - DEMO
 - DI to DM Publication System Business Glossary
 - Enterprise Critical Data Elements
 - Publication System Glossary
 - Quick SFDC SDI Classification
 - SDI Glossary

Details Terms Associations Mappings **Reports**

Overview **Mapped Objects** Unmapped Objects

Search...

Catalog	Name	Type	Term	Term Path
Skills 101 Snowflake...	Customer	Table/Entity	Customer	Glossary View/DI to ...
Skills 101 Snowflake...	Customer ID	Column/Attribute	Customer	Glossary View/DI to ...
Skills 101 Snowflake...	Customer ID	Column/Attribute	Customer	Glossary View/DI to ...
Skills 101 Snowflake...	fax area code	Domain	Customer Fax Area ...	Glossary View/DI to ...

Rows per page: 10 1-10 of 28


- Dashboard
- Users
- Profiles
- Permissions
- Catalogs
- Central NSM
- EMC
- EG
- Devices
- Settings

Enterprise Glossary

Search... All

Glossary View

- Category
- Critical Data Elements
- DAJ Demo Glossary
- DEMO
- DI to DM Publication System Business Glossary
- Enterprise Critical Data Elements
- Publication System Glossary
- Quick SFDC SDI Classification
- SDI Glossary



Back to the model...



→ Quest

Model Explorer

- Skills 101 Snowflake Dev
 - Annotations
 - Data Movement Rules
 - Data Movement Sources
 - Data Vault 2.0
 - Database Roles
 - Databases
 - Datatype Standards
 - Default Values
 - Domains
 - ER Diagrams
 - File Formats
 - Functions
 - Masking Policies
 - Materialized Views
 - Model Sources
 - Naming Standards
 - Pipes
 - Relationships
 - Row Access Policies
 - Schemas
 - Script Templates
 - Security Integrations
 - Sequences
 - Shares
 - Stages
 - Storage Integrations
 - Stored Procedures
 - Streams
 - Subject Areas
 - Tables
 - Tags
 - Tasks
 - Themes
 - Users
 - Views

Mart://Mart/Advanced Model...

Model Name: MODEL NAME
Last Updated By: KC Pulaski
Last Update Date: 05/19/26

Diagram Name: Physical
Last Updated By:
Last Update Date:

Cust

Cust_ID CHAR(18)

Frst_Nam VARCHAR(15)

Lst_Nam VARCHAR(25)

Snowflake Table 'Cust' Column 'Cust_ID' Editor

Table: Cust

Physical Name	Domain Parent	Physical Data Type	Primary Key	Foreign Key	Physical Only	SDI	Comments
Cust_ID	?_defa...	CHAR(18)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Frst_Nam	App FIRST...	VARCHAR(15)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Lst_Nam	App LAST_...	VARCHAR(25)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

Constraint External Table Shortcut Link Style Comment Business Terms Mapping Where Used UDF

	Name	Definition	Description	SDI	SDI Classification	Path
<input type="checkbox"/>	Credit Check	One of three ways o...	One of three ways...	<input type="checkbox"/>		DI to
<input type="checkbox"/>	Credit Check Date	The date in which a ...	The date in which ...	<input type="checkbox"/>		DI to
<input type="checkbox"/>	Credit Check Event	A unique identifier fo...	A unique identifier ...	<input type="checkbox"/>		DI to
<input type="checkbox"/>	Credit Status	The credit status rep...	The credit status r...	<input type="checkbox"/>		DI to
<input type="checkbox"/>	Current Employee Jo...	The Employee curre...	The Employee curr...	<input type="checkbox"/>		DI to
<input checked="" type="checkbox"/>	Customer	A person or compan...	A person or compa...	<input checked="" type="checkbox"/>	PII	DI to
<input type="checkbox"/>	Customer City	The city for the curr...	The city for the cur...	<input type="checkbox"/>		DI to
<input type="checkbox"/>	Customer Company ...	The company name ...	The company nam...	<input type="checkbox"/>		DI to
<input type="checkbox"/>	Customer Fax Area ...	The fax area code f...	The fax area code ...	<input type="checkbox"/>		DI to
<input type="checkbox"/>	Customer Fax Number	The fax number for ...	The fax number fo...	<input type="checkbox"/>		DI to
<input type="checkbox"/>	Customer First Name	The customer first n...	Logical Business M...	<input checked="" type="checkbox"/>	PII	DI to
<input type="checkbox"/>	Customer Identification	A unique identifier fo...	A unique identifier ...	<input type="checkbox"/>		DI to
<input type="checkbox"/>	Customer Last Name	The customer last na...	The customer last ...	<input checked="" type="checkbox"/>	PII	DI to
<input type="checkbox"/>	Customer Phone Are...	The contact phone a...	The contact phone...	<input type="checkbox"/>		DI to
<input type="checkbox"/>	Customer Phone Nu...	The contact phone n...	The contact phone...	<input type="checkbox"/>		DI to
<input type="checkbox"/>	Customer State	The mailing state na...	The mailing state n...	<input type="checkbox"/>		DI to
<input type="checkbox"/>	Customer Street Add...	The mailing street ad...	The mailing street...	<input type="checkbox"/>		DI to

Close Cancel

Model Explorer

- Skills 101 Snowflake Dev
 - Annotations
 - Data Movement Rules
 - Data Movement Sources
 - Data Vault 2.0
 - Database Roles
 - Databases
 - Datatype Standards
 - Default Values
 - Domains
 - ER Diagrams
 - File Formats
 - Functions
 - Masking Policies
 - Materialized Views
 - Model Sources
 - Naming Standards
 - Pipes
 - Relationships
 - Row Access Policies
 - Schemas
 - Script Templates
 - Security Integrations
 - Sequences
 - Shares
 - Stages
 - Storage Integrations
 - Stored Procedures
 - Streams
 - Subject Areas
 - Tables
 - Tags
 - Tasks
 - Themes
 - Users
 - Views

Mart://Mart/Advanced Model...

Model Name: MODEL NAME
Last Updated By: KC Pulaski
Last Update Date: 05/19/26

Diagram Name: Physical
Last Updated By:
Last Update Date:

Cust

Cust_ID CHAR(18)

Frst_Nam VARCHAR(15)

Lst_Nam VARCHAR(25)

Snowflake Table 'Cust' Column 'Frst_Nam' Editor

Table: Cust

Physical Name	Domain Parent	Physical Data Type	Primary Key	Foreign Key	Physical Only	SDI	Comments
Cust_ID	?_defa...	CHAR(18)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Frst_Nam	AppFIRST...	VARCHAR(15)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Lst_Nam	AppLAST_...	VARCHAR(25)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	


Constraint External Table Shortcut Link Style Comment Business Terms Mapping Where Used UDF


	Name	Definition	Description	SDI	SDI Classification	Path
<input type="checkbox"/>	Credit Check	One of three ways o...	One of three ways...	<input type="checkbox"/>		DI to
<input type="checkbox"/>	Credit Check Date	The date in which a ...	The date in which ...	<input type="checkbox"/>		DI to
<input type="checkbox"/>	Credit Check Event	A unique identifier fo...	A unique identifier ...	<input type="checkbox"/>		DI to
<input type="checkbox"/>	Credit Status	The credit status rep...	The credit status r...	<input type="checkbox"/>		DI to
<input type="checkbox"/>	Current Employee Jo...	The Employee curre...	The Employee curr...	<input type="checkbox"/>		DI to
<input type="checkbox"/>	Customer	A person or compan...	A person or compa...	<input checked="" type="checkbox"/>	PII	DI to
<input type="checkbox"/>	Customer City	The city for the curr...	The city for the cur...	<input type="checkbox"/>		DI to
<input type="checkbox"/>	Customer Company ...	The company name ...	The company nam...	<input type="checkbox"/>		DI to
<input type="checkbox"/>	Customer Fax Area ...	The fax area code f...	The fax area code ...	<input type="checkbox"/>		DI to
<input type="checkbox"/>	Customer Fax Number	The fax number for ...	The fax number fo...	<input type="checkbox"/>		DI to
<input checked="" type="checkbox"/>	Customer First Name	The customer first n...	Logical Business M...	<input checked="" type="checkbox"/>	PII	DI to
<input type="checkbox"/>	Customer Identification	A unique identifier fo...	A unique identifier ...	<input type="checkbox"/>		DI to
<input type="checkbox"/>	Customer Last Name	The customer last na...	The customer last ...	<input checked="" type="checkbox"/>	PII	DI to
<input type="checkbox"/>	Customer Phone Are...	The contact phone a...	The contact phone...	<input type="checkbox"/>		DI to
<input type="checkbox"/>	Customer Phone Nu...	The contact phone n...	The contact phone...	<input type="checkbox"/>		DI to
<input type="checkbox"/>	Customer State	The mailing state na...	The mailing state n...	<input type="checkbox"/>		DI to
<input type="checkbox"/>	Customer Street Add...	The mailing street ad...	The mailing street...	<input type="checkbox"/>		DI to

Transformations Complete Compare Manage Snapshots Design Layers Target Database Database Connection Reverse Engineer Database Reverse Engineer Configuration Schema... Alter Script... Model Check Templates... Forward Engineer Hierarchical View Embedded View

Model Explorer Arial 10 Schema Physical

- Skills 101 Snowflake Dev
 - Annotations
 - Data Movement Rules
 - Data Movement Sources
 - Data Vault 2.0
 - Database Roles
 - Databases
 - Datatype Standards
 - Default Values
 - Domains
 - ER Diagrams
 - File Formats
 - Functions
 - Masking Policies
 - Materialized Views
 - Model Sources
 - Naming Standards
 - Pipes
 - Relationships
 - Row Access Policies
 - Schemas
 - Script Templates
 - Security Integrations
 - Sequences
 - Shares
 - Stages
 - Storage Integrations
 - Stored Procedures
 - Streams
 - Subject Areas
 - Tables
 - Tags
 - Tasks
 - Themes
 - Users
 - Views





Model Explorer

- Skills 101 Snowflake Dev
 - Annotations
 - Data Movement Rules
 - Data Movement Sources
 - Data Vault 2.0
 - Databases
 - Datatype Standards
 - Default Values
 - Domains
 - ER Diagrams
 - File Formats
 - Functions
 - Masking Policies
 - Materialized Views
 - Model Sources
 - Naming Standards
 - Pipes
 - Relationships
 - Row Access Policies
 - Schemas
 - Script Templates
 - Security Integrations
 - Sequences
 - Shares
 - Stages
 - Storage Integrations
 - Stored Procedures
 - Streams
 - Subject Areas
 - Tables
 - Tags
 - Tasks
 - Themes
 - Users
 - Views

Model Subject Area

Model Explorer Project Explorer

Mart://Mart/Advanced Model...

Forward Engineer Schema Generation Wizard

Schema Generation Overview
This page provides an overview of the Forward Engineer Schema Generation.

- Overview
- Option Selection
- Summary
- Owner Override
- Object Filter
- Preview

Overview

Welcome to the Forward Engineer Wizard. This wizard lets you forward engineer a model.

Forward engineering is the process of generating the physical database schema from a physical model. You use the Schema Generation wizard to forward engineer a model and generate the schema. The schema that you generate includes all options that are supported in your target server. You can customize the generated schema for your target server using features in the Schema Generation wizard.

The **Option Selection** page lets you customize the Schema Generation option set and the database template.

The **Summary** page lets you review the selected Schema Generation options in a hierarchical tree structure. The page also lets you enter a comment for the current Schema Generation option set.


The **Owner Override** page lets you enter the owner override name of an object group. The object group and name you indicate override the owner name assignment for that object group in the model.

The **Object Filter** page lets you select a subset of the objects in a model for forward engineering.

The **Preview** page lets you preview the schema DDL script generated for the current model.

< Back Next > Generate OK Cancel Help

Conceptual EntityDefinition Logical Physical PhysicalIndex



Forward Engineer Schema Generation Wizard

Schema Generation Options
This page allows the user to change the Forward Engineer Schema Generation Options.

Option Set: Default Schema Generation [Open...] [Save] [Save As...] [Delete]

Snowflake Schema Generation

- Database
- Schema**
- Storage
- Table
- Column
- Materialized View
- View
- Index
- Referential Integrity
- Integration
- Other Options

Schema

- Pre-Script
- Post-Script
- Create
 - Function
 - Stored Procedure
 - Sequence
 - Share
 - Stream
 - Task
 - Pipe
 - Tag
 - Masking Policy
 - Row Access Policy
- Drop
 - Function
 - Stored Procedure
 - Sequence
 - Share
 - Stream
 - Task


Database Template: Snowflake.fet [Browse...] [Edit...] [Reset]

< Back [Next >] [Generate] [OK] [Cancel] [Help]

Model Explorer

- Skills 101 Snowflake Dev
 - Annotations
 - Data Movement Rules
 - Data Movement Sources
 - Data Vault 2.0
 - Database Roles
 - Databases
 - Datatype Standards
 - Default Values
 - Domains
 - ER Diagrams
 - File Formats
 - Functions
 - Masking Policies
 - Materialized Views
 - Model Sources
 - Naming Standards
 - Pipes
 - Relationships
 - Row Access Policies
 - Schemas
 - Script Templates
 - Security Integrations
 - Sequences
 - Shares
 - Stages
 - Storage Integrations
 - Stored Procedures
 - Streams
 - Subject Areas
 - Tables
 - Tags
 - Tasks
 - Themes
 - Users
 - Views

Model Explorer Project Explorer



Forward Engineer Schema Generation Wizard

Schema Generation Options
This page allows the user to change the Forward Engineer Schema Generation Options.

Option Set: **Default Schema Generation** [Open... Save Save As... Delete]

Snowflake Schema Generation

- Database
- Schema
- Storage
- Table
- Column
- Materialized View
- View
- Index
- Referential Integrity
- Integration
- Other Options**

Other Options

- Constraint Name
- Comments
- Owner
- Delimit Identifiers
 - Using Quotes
 - Use IF NOT EXISTS
 - Use OR REPLACE
 - Run Check Model
 - Use IF EXISTS
 - Use RESTRICT
 - Use IDENTIFIER
 - Use OR ALTER

Database Template: **Snowflake.fet** [Browse... Edit... Reset]

< Back Next > Generate **OK** Cancel Help

Model Explorer

Mart://Mart/Advanced Model...


- Skills 101 Snowflake Dev
 - Annotations
 - Data Movement Rules
 - Data Movement Sources
 - Data Vault 2.0
 - Database Roles
 - Databases
 - Datatype Standards
 - Default Values
 - Domains
 - ER Diagrams
 - File Formats
 - Functions
 - Masking Policies
 - Materialized Views
 - Model Sources
 - Naming Standards
 - Pipes
 - Relationships
 - Row Access Policies
 - Schemas
 - Script Templates
 - Security Integrations
 - Sequences
 - Shares
 - Stages
 - Storage Integrations
 - Stored Procedures
 - Streams
 - Subject Areas
 - Tables
 - Tags
 - Tasks
 - Themes
 - Users
 - Views

Model Subject Area

Model Explorer Project Explorer



Develop the model and create a milestone...



Domain 'first name' Dictionary

Name	Domain Parent	Logical Data Type	Logical Only
empid	String	CHAR(9)	<input type="checkbox"/>
fax area code	phone area code	INTEGER	<input type="checkbox"/>
fax number	phone number	INTEGER	<input type="checkbox"/>
first name	String	VARCHAR(20)	<input checked="" type="checkbox"/>

General Constraint Definition Where Used UDP Notes Extended Notes

Domain Parent


Domain


Name	first name
Image	Default String I
Attribute Name	%AttDomain
Attribute Image	Default String I
Logical Only	<input type="checkbox"/>
Logical Data Type	VARCHAR(20)
Null Option	Null

Close Cancel Details...

Model Name:
Last Updated By:
Last Update Date:

Diagram Name:
Last Updated By:
Last Update Date:






Model Name:
Last Updated By:
Last Update Date:

Diagram Name:
Last Updated By:
Last Update Date:

Order Item

Customer ID (FK)



- Skills 101 Snowflake Dev
 - Annotations
 - Data Vault 2.0
 - Datatype Standards
 - Default Values
 - Domains
 - <default>
 - Blob
 - city
 - Datetime
 - Domain_2039
 - empid
 - fax area code
 - fax number
 - first name
 - id
 - last name
 - Number
 - phone area code
 - phone number
 - Standard Numbers
 - street address
 - String
 - tid
 - zip code
 - Entities
 - ER Diagrams
 - Model Sources
 - Naming Standards
 - Relationships
 - Subject Areas
 - Themes
 - Validation Rules

Model Name:
Last Updated By:
Last Update Date:

Diagram Name:
Last Updated By:
Last Update Date:

Domain 'first name' Dictionary

Name	Domain Parent	Logical Data Type	Logical Only
empid	String	CHAR(9)	<input type="checkbox"/>
fax area code	phone area code	INTEGER	<input type="checkbox"/>
fax number	phone number	INTEGER	<input type="checkbox"/>
first name	String	VARCHAR(99)	<input checked="" type="checkbox"/>


General Constraint Definition Where Used UDP Notes Extended Notes

Domain Parent

Domain

- Name: first name
- Image: Default String
- Attribute
 - Attribute Name: %AttDomain
 - Attribute Image: Default String
- General Options
 - Logical Only:
 - Logical Data Type: VARCHAR(20)
 - Null Option: Null

Close Cancel Details...



Model Explorer


- Skills 101 Snowflake Dev
 - Annotations
 - Data Vault 2.0
 - Datatype Standards
 - Default Values
 - Domains
 - <default>
 - Blob
 - city
 - Datetime
 - Domain_2039
 - empid
 - fax area code
 - fax number
 - first name
 - id
 - last name
 - Number
 - phone area code
 - phone number
 - Standard Numbers
 - street address
 - String
 - tid
 - zip code
 - Entities
 - ER Diagrams
 - Model Sources
 - Naming Standards
 - Relationships
 - Subject Areas
 - Themes
 - Validation Rules

Model Explorer Project Explorer

Mart://Mart/Advanced Model...

Model Name: MODEL NAME
Last Updated By: KC Pulaski
Last Update Date: 05/19/26

Diagram Name: Logical
Last Updated By:
Last Update Date:





```
graph LR; Customer[Customer] --- OrderItem[Order Item]; Customer --> OrderItem; Customer --- CID[Customer ID]; Customer --- FN[first name]; Customer --- LN[last name]; OrderItem --- CIDFK[Customer ID (FK)];
```

Customer ID
first name
last name

Order Item
Customer ID (FK)

Conceptual EntityDefinition Logical Physical PhysicalIndex



Catalog Manager

Catalog

- Mart
 - SDLC
 - 1ne folder
 - Advanced Models
 - Data Vault Automation
 - Design Layer Architecture DLA
 - Design Layer Architecture OLD
 - DM to DI Data Flow Models
 - erwin DM Demo
 - Google Big Query
 - Medallion Architecture
 - Microsoft CDM
 - Model Before Move
 - Model Development Lifecycle
 - Neo4j
 - Publication Mart STM
 - Skills101
 - Skills 101 Snowflake Dev
 - Version 2
 - Version 1
 - Snowflake
 - Financial Industry Business Data Model (core) - LDM
 - Financial Industry Business Data Model (Core) GBQ
 - PowerDesigner LDM Import - Financial Industry Business Data Model (core)
 - Demo Lot

Created by: erwinadmin
Created on: 8/7/2023 13:17:00

Description:
erwin presales DM Mart Portal
Shared instance hosted in Azure

Locks:

Session	Lock	Time

Status:

Model Explorer

- Skills 101 Snowflake Dev
 - Annotations
 - Data Vault 2.0
 - Datatype Standards
 - Default Values
 - Domains
 - <default>
 - Blob
 - city
 - Datetime
 - Domain_2039
 - empid
 - fax area code
 - fax number
 - first name
 - id
 - last name
 - Number
 - phone area code
 - phone number
 - Standard Numbers
 - street address
 - String
 - tid
 - zip code
 - Entities
 - ER Diagrams
 - Model Sources
 - Naming Standards
 - Relationships
 - Subject Areas
 - Themes
 - Validation Rules

Model Name
Last Updated
Diagram
Last Updated

first name
last name

Customer ID (FK)

Model Explorer

- Skills 101 Snowflake Dev
 - Annotations
 - Data Vault 2.0
 - Datatype Standards
 - Default Values
 - Domains
 - <default>
 - Blob
 - city
 - Datetime
 - Domain_2039
 - empid
 - fax area code
 - fax number
 - first name
 - id
 - last name
 - Number
 - phone area code
 - phone number
 - Standard Numbers
 - street address
 - String
 - tid
 - zip code
 - Entities
 - ER Diagrams
 - Model Sources
 - Naming Standards
 - Relationships
 - Subject Areas
 - Themes
 - Validation Rules

Model Explorer Project Explorer

Catalog Manager

Catalog

- Mart
 - SDLC
 - 1ne folder
 - Advanced Models
 - Data Vault Automation
 - Design Layer Architecture DLA
 - Design Layer Architecture OLD
 - DM to DI Data Flow Models
 - erwin DM Demo
 - Google Big Query
 - Medallion Architecture
 - Microsoft CDM
 - Model Before Move
 - Model Development Lifecycle
 - Neo4j
 - Publication Mart STM
 - Skills 101
 - Skills 101 Snowflake Dev
 - Version
 - Version
 - Snowflake
 - Financial Indust
 - Financial Indust
 - PowerDesigner
 - Demo Lot

first name
last name

Created by: andy.mcGovern@quest.com

Created on: 5/21/2026 14:31:00

Apply

Description:


Changwed first name domain to VARCHAR(99)


Locks:

Session	Lock	Time

Status:









Commit to Git....


Transformations Complete Compare Manage Snapshots Design Layers* Target Database Database Connection Database Reverse Engineer Database Reverse Engineer Configuration Schema... Alter Script... Model Forward Engineer Check Model Templates... Hierarchical View Embedded View


Model Explorer Mart://Mart/Advanced Model... Schema Forward Engineer Schema Generation Physical


Skills 101 Snowflake Dev
Annotations
Data Movement Rules
Data Movement Sources
Data Vault 2.0
Database Roles
Databases
Datatype Standards
Default Values
Domains
ER Diagrams
File Formats
Functions
Masking Policies
Materialized Views
Model Sources
Naming Standards
Pipes
Relationships
Row Access Policies
Schemas
Script Templates
Security Integrations
Sequences
Shares
Stages
Storage Integrations
Stored Procedures
Streams
Subject Areas
Tables
Tags
Tasks
Themes
Users
Views


Model Name: MODEL NAME
Last Updated By: KC Pulaski
Last Update Date: 05/19/26


Diagram Name: Physical
Last Updated By:
Last Update Date:














Harvest to ER360



→ Quest

Catalogs

Save

Loaded Catalogs

- Model Development Lifecycle
- Neo4j
- Publication Mart STM
- Skills101
 - Skills 101 Snowflake Dev (SDI)
 - Milestone 1
 - Version 1
 - Version 2
- Snowflake
- Financial Industry Business Data Model (core) -LDM
- Financial Industry Business Data Model (Core) GBQ
- PowerDesigner LDM Import - Financial Industry Business Data Model

Details Locks

Name: Mart

Description: erwin presales DM Mart Portal
Shared instance hosted in Azure

Created By: erwinadmin

Created On: 08/07/2023 5:17 PM

- Dashboard
- Users
- Profiles
- Permissions
- Catalogs**
- Central NSM
- EMC
- EG
- Devices
- Settings

Catalogs

Loaded Catalogs ▾

- Model Development Lifecycle
- Neo4j
- Publication Mart STM
- Skills101
 - Skills 101 Snowflake Dev **SDI**
 - Milestone 1
 - Version 1
 - Version 2
- Snowflake
- Financial Industry Business Data Model (core) -LDM
- Financial Industry Business Data Model (Core) GBQ
- PowerDesigner LDM Import - Financial Industry Business Data Model

Details Locks

Name: Mart

Description: erwin presales DM Mart Portal
Shared instance hosted in Azure

Created By: erwinadmin

Created On: 08/07/2023 5:17 PM

- Harvest to ER360
- DM Connect for DI
- Access Token
- REST Reports

- Dashboard
- Users
- Profiles
- Permissions
- Catalogs
- Central NSM
- EMC
- EG
- Devices
- Settings

Harvest to ER360

[+ Add Job](#)

<input type="checkbox"/>	Job Name	Last Schedule Run	Next Schedule Run	Job State	Last Run State	Modified By	Modified On
<input type="checkbox"/>	Geoff Sandbox models	04/24/2026 5:21 AM	04/24/2026 5:21 AM	Completed	Success	geoff.hodgkinson@qu...	04/24/2026 5:20 AM
<input type="checkbox"/>	reseed dla		04/14/2026 2:45 PM	Cancelled		andy.mcgovern@ques...	04/14/2026 2:44 PM
<input type="checkbox"/>	reseed dla	04/14/2026 2:45 PM	04/14/2026 2:45 PM	Completed	Success	andy.mcgovern@ques...	04/14/2026 2:44 PM
<input type="checkbox"/>	DLA Seed	04/14/2026 2:37 PM	04/14/2026 2:37 PM	Completed	Success	andy.mcgovern@ques...	04/14/2026 2:36 PM
<input type="checkbox"/>	Seed DLA 20	04/13/2026 12:21 PM	04/13/2026 12:21 PM	Completed	Success	andy.mcgovern@ques...	04/13/2026 12:20 PM
<input type="checkbox"/>	Oreiteme_JOB Harvest	03/20/2026 7:00 PM	03/20/2026 7:00 PM	Scheduled	Partial Success	oliver.reitemeier@que...	03/20/2026 1:44 PM
<input type="checkbox"/>	JOB_868093211	02/04/2026 10:46 AM	02/04/2026 10:46 AM	Completed	Success	andy.mcgovern@ques...	02/04/2026 10:45 AM
<input type="checkbox"/>	Denis models	05/20/2026 7:55 PM	05/21/2026 7:55 PM	Scheduled	Success	denis.osullivan@quest...	01/09/2026 7:07 AM
<input type="checkbox"/>	JOB_1292995441	12/19/2025 10:25 AM	12/19/2025 10:25 AM	Completed	Success	andy.mcgovern@ques...	12/19/2025 10:24 AM
<input type="checkbox"/>	JOB_1497758921	12/08/2025 9:32 AM	12/08/2025 9:32 AM	Completed	Success	andy.mcgovern@ques...	12/08/2025 9:31 AM

Rows per page: 10 1-10 of 204

Add Job

← Back | Save

Catalogs

Loaded Catalogs

- Model Development Lifecycle
- Neo4j
- Publication Mart STM
- Skills101
 - Skills 101 Snowflake Dev
- Snowflake
 - Financial Industry Business Data Model (core)
 - Financial Industry Business Data Model (Core)
 - PowerDesigner LDM Import -Financial Indust
- Demo Lot
- Demonstration Models

Library

Add & Update | Match Mart Path

- ER360
 - SDLC
 - Advanced Models
 - Demo Lot
 - Demonstration Models
 - New Demo Lot
 - Oracle AI World
 - Projects
 - Quest Model Before You Move
 - User Libraries

Job Information

Job Name: Skills 101 Harvest

Start Date/Time: 05/21/2026 03:01 PM

Job Interval: Once

Frequency: | End Date/Time: 05/22/2026 12:00 A

Days:

Notify Me

Notification Email: Email

- Dashboard
- Users
- Profiles
- Permissions
- Catalogs
- Central NSM
- EMC
- EG
- Devices
- Settings

Add Job

Back Save

Catalogs

Loaded Catalogs

- Model Development Lifecycle
- Neo4j
- Publication Mart STM
- Skills101
 - Skills 101 Snowflake Dev
- Snowflake
 - Financial Industry Business Data Model (core)
 - Financial Industry Business Data Model (Core)
 - PowerDesigner LDM Import -Financial Indust
- Demo Lot
- Demonstration Models

Library

Add & Update Match Mart Path

- ER360
 - SDLC
 - Advanced Models
 - Demo Lot
 - Demonstration Models
 - New Demo Lot
 - Oracle AI World
 - Projects
 - Quest Model Before You Move
 - User Libraries

Job Information

Job Name: Skills 101 Harvest

Start Date/Time: 05/21/2026 03:01 PM

Job Interval: Once

Frequency: [Dropdown]

End Date/Time: 05/22/2026 12:00 A

Days: [Dropdown]

Notify Me

Notification Email: Email



Collaborate in ER360

Metadata View Mode: Physical View Options: Simple View

Catalogs Loaded Catalogs

- Publication Mart
- Skills101
 - Skills 101 Snowflake Dev (SDI)
 - Domains 20
 - ER Diagrams 5
 - Relationships 1
 - Tables 2
 - User Defined Properties 24
 - Snowflake
 - Demo Lot
 - Demonstration Models
 - New Demo Lot
 - Oracle AI World
 - Projects

(Skills 101 Snowflake Dev) Skills 101 Snowflake Dev

ER Diagrams

CSV XLSX

Name
Conceptual
EntityDefinition
Logical
Physical
PhysicalIndex

Rows per page: 5 1-5 of 5

- Home
- Users
- Profiles
- Permissions
- Catalogs
- Browse
- View
- EA
- Collection
- Worksheet
- Devices
- IM
- Settings

Metadata

Catalogs

Loaded Catalogs

- Publication Mart
- Skills101
 - Skills 101 Snowflake Dev (SDI)
 - Domains 20
 - ER Diagrams 5
 - Relationships 1
 - Tables 2
 - User Defined Properties 24
 - Snowflake
 - Demo Lot
 - Demonstration Models
 - New Demo Lot
 - Oracle AI World
 - Projects

(Skills 101 Snowflake Dev) Skills 101 Snowflake Dev Physical

Model Name: MODEL NAME
Last Updated By: KC Pulaski
Last Update Date: 05/19/26

Diagram Name: Physical
Last Updated By:
Last Update Date:

Cust
Cust_ID CHAR(18)
Frst_Nam VARCHAR(15)
Lst_Nam VARCHAR(25)

Ordr_Itm
Cust_ID CHAR(18) (FK)

Metadata

Loaded Catalogs

- Publication Mart
- Skills101
 - Skills 101 Snowflake Dev (SDI)
 - Domains 20
 - ER Diagrams 5
 - Conceptual
 - EntityDefinition
 - Logical** Logical
 - Physical
 - PhysicalIndex
 - Relationships 1
 - Tables 2
 - User Defined Properties 24
 - Snowflake

(Skills 101 Snowflake Dev) Skills 101 Snowflake Dev Logical

Model Name: MODEL NAME
Last Updated By: KC Pulaski
Last Update Date: 05/19/26

Diagram Name: Logical
Last Updated By:
Last Update Date:

Automatically saving your changes. It's okay to keep working while we save.

Customer
Customer ID
first name
last name

Order Item
Customer ID (FK)

Quest ER360 Search...

Metadata View Mode Physical

Catalogs Loaded Catalogs

- Publication Mart
- Skills101
 - Skills 101 Snowflake Dev **SDI**
 - Domains **20**
 - ER Diagrams **5**
 - Conceptual
 - EntityDefinition
 - Logical**
 - Physical
 - PhysicalIndex
 - Relationships **1**
 - Tables **2**
 - User Defined Properties **24**
 - Snowflake

(Skills 101 Snowflake Dev) Skills 101 Snowflake Dev Logical

Model Name: MODEL NAME
 Last Updated By: KC Pulaski
 Last Update Date: 05/19/26

Diagram Name: Logical
 Last Updated By:
 Last Update Date:

Customer
 Customer ID
 first name
 last name

About Privacy Legal Contact Impressum f in X

© 2026 Quest S

Object Properties

first name

Name:	first name
Physical Name:	Frst_Nam
Definition:	
Comment:	
Sdi:	true
DomainName:	first name
Position:	2
DataType:	VARCHAR
Length:	15
Scale:	N/A
LogicalDataType:	VARCHAR
LogicalLength:	99
LogicalScale:	N/A
Nullability:	Null
Attribute.Logical.CreateDate:	12/30/1899
Attribute.Logical.Definition Source:	Technical Support
Attribute.Physical.HIPAA:	No

Metadata View Mode: Physical View Options: Simple View

Catalogs Loaded Catal... Home Users Profiles Permissions Catalogs Browse View EA Collection Worksheet Devices IM Settings

(Skills 101 Snowflake Dev) Skills 101 Snowflake Dev . Cust . Frst_Nam

Object Properties

Name	Value
Name	first name
Physical Name	Frst_Nam
Definition	
Comment	
SDI	true

Rows per page: 5 1-5 of 18

Metadata Catalogs Loaded Catal... (Skills 101 Snowflake Dev) Skills 101 Snowflake Dev Cust Frst_Nam

All 0 Comments 0 Endorsements 0 Warnings 0 Certifications 0

Definition SB First Name of a customer.

Cancel Post



It's a little quiet right now!

- Home
- Users
- Profiles
- Permissions
- Catalogs
- Browse
- View
- EA
- Collection
- Worksheet
- Devices
- IM
- Settings

Metadata Loaded Catal... CATALOGS

(Skills 101 Snowflake Dev) Skills 101 Snowflake Dev Cust Frst_Nam Comments 1

- Home
- Users
- Profiles
- Permissions
- Catalogs
- Browse
- View
- EA
- Collection
- Worksheet
- Devices
- IM
- Settings

Metadata

Catalogs
Loaded Catal... 🔍 ↻ 📄

(Skills 101 Snowflake Dev) Skills 101 Snowflake Dev . Cust . Frst_Nam

All 1 Comments 1 Endorsements 0 Warnings 0 Certifications 0

Share a quick thought...


Cancel Post

Andy.McGovern@quest.com (andy.mcgovern@quest.com) Comment 1 minute ago

Definition SB First Name of a customer.

Showing 1-1 of 1 < > 1 > > | Rows/Page 10

erwin Data Governance Architecture





 Quest

Thank you!

erwin DM: Key Resources & Feature Guides

Foundations & Orientation

[erwin DM 15.x Bookshelf](#)

Erwin DM Modeling & Design

[Working with Models](#)

[Model Templates](#)

[Administer Mart](#)

[Catalog Manager](#)

[How Profiles Work](#)

[Manage Profiles](#)

[Assign Permissions to a User](#)

[Manage NSM Files](#)

[Enterprise Glossary](#)

[Enterprise Modeling Compliance](#)

Don't Miss What's Next!

*How Cloud-Based
Modeling Fits
Alongside erwin DM*

June 9th @11:00am ET



Thank You